

Declaration of performance

№ 006/2017

According to Construction Products Regulation EU № 305/2011

1. *Unique identification code of the product-type:*

SensoIRIS WSST IS

2. *Type Number:*

SensoIRIS WSST IS

Description: **Intelligent analogue addressable fire alarm sounder and strobe with build-in isolator module**

3. *Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer*

Fire detection and fire alarm systems installed in and around buildings

4. *Manufacturer*

**Teletek Electronics JSC
2, Iliyansko shose Str.
NPZ Voenna Rampa
1220 Sofia, Bulgaria**

5. *Trading Company*

**Teletek Electronics JSC
2, Iliyansko shose Str.
NPZ Voenna Rampa
1220 Sofia, Bulgaria**

6. *System of assessment*

System 1

7. *Notified Body*

**EVPU a.s.
19 Trencianska Str.
018 51 Nova Dubnica, Slovakia**


Notified Body Number

1293

Performed **the prescribed tests and evaluation of factory production control according to system 1 and issued the following certificate**

EC Certificate Number

1293- CPR-0462 Rev.3



7. *No European Technical Assessment has been issued for this product.*

8. *Declared performance*

Essential characteristics	Performance	Harmonized technical specification EN 54-3:2001+A1:2002+A2:2006
Performance under fire condition	Pass	4.2, 4.3, 5.2, 5.3
Operational reliability	Pass	4.4, 4.5, 4.6, 5.4
Durability of operational reliability: temperature resistance	Pass	5.5, 5.6, 5.7, 5.8, 5.9
Durability of operational reliability: humidity resistance	Pass	5.8, 5.9, 5.10
Durability of operational reliability: corrosion resistance	Pass	5.11
Durability of operational reliability: shock and vibration resistance	Pass	5.12 to 5.15
Durability of operational reliability; electrical stability	Pass	5.16
Durability of operational reliability: resistance to ingress	Pass	5.17

Essential characteristics	Performance	Harmonized technical specification EN 54-17+AC:2007
Performance under fire conditions	Pass	5.2
Operational reliability	Pass	4
Durability of operational reliability and response delay: temperature resistance	Pass	5.4, 5.5
Durability of operational reliability: humidity resistance	Pass	5.6, 5.7
Durability of operational reliability: shock and vibration resistance	Pass	5.9 to 5.12
Durability of operational reliability: corrosion resistance	Pass	5.8
Durability of operational reliability: electrical stability	Pass	5.3, 5.13

EN 54-23:2010 Fire Detection and Fire Alarm Systems – Visual Alarm Devices		
Essential characteristics	Performance	Harmonized technical specification EN 54-23:2010
General	Pass	4.1
Operational reliability	Pass	4.2
Performance parameters under fire conditions	Pass	4.3
Durability	Pass	4.4
General	Pass	5.1
Operational reliability	Pass	5.2
Performance parameters under fire conditions	Pass	5.3
Durability	Pass	5.4

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

2, Iliyansko shose Str.
NPZ Voenna Rampa
1220 Sofia, Bulgaria



Yuliy Iliev
Quality Manager

01.08.2024